

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CLADDING



Extruded

Vadodara
Jay Jalaram Brick Works

www.thebrickstore.in

CE1

MANCHESTER RED



L 215 H 65 T 18 MM

***Specifications:**

Weight: 0.7 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

CE1 (M)

MANCHESTER RED



L 215 H 65 T 23 MM

***Specifications:**

Weight: 0.85 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE2
FLW RED



L 215 H 39 T 20 MM

***Specifications:**

Weight: 0.5 Kg

Water absorption: < 12%


Coverage per sq.ft.
(10mm joint):

1 sq. ft. - 8.4 pcs.

1 sq. m. - 91 pcs.

Corner Consumption:

Per Running Sq. Ft. - 6 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE3

BRUSSELS BROWN



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

CE6

SOUTHAMPTON YELLOW



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE7

SCOTTISH MULTI



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.



***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE8

CHARCOAL MULTI



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE10

VALENCIA PINK



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE12

TEXAS BROWN MULTI



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE14

WARSAW MULTI



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE15

WARRINGTON MULTI



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE21

AUSTIN RED MULTI



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE1G

PHILADELPHIA GREY SMOOTH



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.



***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE1GT

NOTTINGHAM GREY TUMBLED



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

CE1 RT

CHARLECOTE RECLAIMED



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

CE6T

SOUTHAMPTON YELLOW



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE8T

CANYON RETRO MULTI



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Cladding
Extruded

THE
BRICK
A brand by Jay Jalaram Brick Works **STORE**

CE15T

PALMINO BUFF



L 215 H 65 T 20 MM

***Specifications:**

Weight: 0.8 Kg

Water absorption: < 12%


**Coverage per sq.ft.
(10mm joint):**

1 sq. ft. - 5.5 pcs.

1 sq. m. - 60 pcs.

Corner Consumption:

Per Running Sq. Ft. - 4 pcs.



Corner Available

*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

**Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

***Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Brick Experience Gallery

The Brick Store Vadodara




Discuss Ideas

Collaborate on Plans

Explore India's widest
range of Facing Bricks



It's all about Bricks



The Brick Store - Vadodara

Jay Jalaram Brick Works, 3rd / 4th Floor, MSA House, GIPCL Circle,
Sama Vadodara, Gujarat - 390008

Cell: +91 93283 81220/ +91 70690 06101 Email: sales@jjb.co.in

Brick Factory

Jay Jalaram Brick Works, Near Main RTO Office, Godhra, Gujarat - 389001

Cell: +91 75709 75709/ +91 70690 06101 Email: sales@jjb.co.in

www.thebrickstore.in

Godhra • Vadodara • Ahmedabad • Ludhiana • Pune • Rajkot • Nashik • Hyderabad • Surat • Kolkata • UK • Australia
Upcoming Stores: Mumbai, Delhi, Chennai, Indore & Bengaluru