

# Linear

Vadodara



Jay Jalaram Brick Works

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL60

## LINEAR RED



L 325 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL62

## LINEAR YORK BLEND



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL63

## LINEAR CAMBRIDGE BUFF



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 18%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL64

## LINEAR FARMHOUSE BLEND



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.



\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL6064

## BRIGHTON EMBER BLEND



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL67s

## LINEAR VINCENT YELLOW



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 20%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL67w

## SOUTHAMPTON YELLOW LINEAR



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 20%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL68

## LINEAR BRAMPTON BROWN



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL69

## LINEAR PHOENIX GREY



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL70

## LINEAR GRAPHITE



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL71

## LINEAR LHASA WHITE



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL72

## LINEAR MANCHESTER RED



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL73

## LINEAR ASHDOWN MULTI



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.



\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL7369

## NEW YORK LINEAR GREY



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL74

## WEATHERED VINCENT LINEAR



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 20%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL77

## NEW HAMPSHIRE BROWN LINEAR



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL78

## SYDNEY GREY LINEAR



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.



\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL79

## DERBY YELLOW LINEAR



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 20%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.



\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL80

## BERLIN LINEAR RED



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL501

## ROYAL RED ROMAN MAGNUM



L 550 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 14%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 2.8 pcs.  
9" Wall - 5.6 pcs.  
1 m<sup>2</sup> - 30 pcs.  
1 m<sup>3</sup> - 266 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL502

## COLOSSEUM ROMAN MAGNUM



L 550 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 20%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 2.8 pcs.  
9" Wall - 5.6 pcs.  
1 m<sup>2</sup> - 30 pcs.  
1 m<sup>3</sup> - 266 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL503

## VENICE ROMAN MAGNUM



L 550 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 20%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 2.8 pcs.  
9" Wall - 5.6 pcs.  
1 m<sup>2</sup> - 30 pcs.  
1 m<sup>3</sup> - 266 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.



\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL504

## GREENWOOD ROMAN MAGNUM



L 550 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 20%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 2.8 pcs.  
9" Wall - 5.6 pcs.  
1 m<sup>2</sup> - 30 pcs.  
1 m<sup>3</sup> - 266 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.


\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

# TL63G

## STANLEY GREY LINEAR



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

Traditional  
Linear

THE  
**BRICK**  
A brand by Jay Jalaram Brick Works **STORE**

# TL501G

## ROYAL GREY ROMAN MAGNUM



L 550 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 2.8 pcs.  
9" Wall - 5.6 pcs.  
1 m<sup>2</sup> - 30 pcs.  
1 m<sup>3</sup> - 266 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.


\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

JJB

Traditional  
Linear

# TL64RT

## BURNT WOOD LINEAR



L 330 W 102 H 50 MM

**\*Specifications:**

Weight: 3 Kg  
Strength: Above 75 Kg/Cm<sup>2</sup>  
Water absorption: < 16%

**Coverage per sq.ft.  
(10mm joint):**

4" Wall - 4.6 pcs.  
9" Wall - 9.3 pcs.  
1 m<sup>2</sup> - 50 pcs.  
1 m<sup>3</sup> - 438 pcs.

\*Specifications are indicative, buyers are requested to undertake tests in accredited laboratories to verify suitability of bricks for particular application.

\*\*Individual bricks may vary dimensionally this is natural characteristic of fired clay products and is catered for in relevant Indian Standard.

\*\*\*Dimensions are subject to change without prior notice, before ordering/designing buyers are encouraged to inquire about prevailing sizes and quantities available.

# Brick Experience Gallery

The Brick Store Vadodara



Discuss Ideas

---


Collaborate on Plans

---

Explore India's widest  
range of Facing Bricks



It's all about Bricks



**The Brick Store - Vadodara**

Jay Jalaram Brick Works, 3rd / 4th Floor, MSA House, GIPCL Circle,  
Sama Vadodara, Gujarat - 390008

Cell: +91 93283 81220/ +91 70690 06101 Email: sales@jjb.co.in

---

**Brick Factory**

Jay Jalaram Brick Works, Near Main RTO Office, Godhra, Gujarat - 389001

Cell: +91 75709 75709/ +91 70690 06101 Email: sales@jjb.co.in

---

[www.thebrickstore.in](http://www.thebrickstore.in)

Godhra • Vadodara • Ahmedabad • Ludhiana • Pune • Rajkot • Nashik • Hyderabad • Surat • Kolkata • UK • Australia

**Upcoming Stores:** Mumbai, Delhi, Chennai, Indore & Bengaluru